

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. II]

NEW DELHI, SATURDAY, MARCH 16, 1957

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th February, 1957.

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.	D.
Andhra Pradesh							Bombay—contd.						
"N. R."							Ahmednagar						
TOTAL	East Khandesh
Total for w/c 9-2-57	Nasik
Total for w/c 2-2-57	Poona	9	3	1
Assam							North Satara	14	6	..
"N. R."							Sholapur
TOTAL	Thana	8	1	..
Total for w/c 9-2-57	4	1	West Khandesh	34	2	..
Total for w/c 2-2-57	6	2	Kolaba	7
Bihar							Panoh Mahals	1	1	..
Singhbhum	3	Amravati	2
Dhanbad	1	Bhandara	71	2	..
TOTAL	4	Buldhana	14	1	..
Total for w/c 9-2-57	3	2	16	7	Chanda	15
Total for w/c 2-2-57	1	..	23	10	Wardha	19	3	..
Bombay							Nanded	3	1	..
Greater Bombay	1	..	79	14	Osmanabad	1
Ahmedabad	112	19	Ycetmal	1
Banaskantha	1	TOTAL	23	10	489	62
Baroda	14	Total for w/c 9-2-57	5	2	339	59
Broach	10	2	Total for w/c 2-2-57	50	15	299	70
Kaira	1	Delhi						
Mehsana	35	4	"N. R."						
Halar	10	3	TOTAL
Kutch	8	1	Total for w/c 9-2-57	11	3
Zalawad	12	3	Total for w/c 2-2-57	12	3

Explanation of symbols used: C.=Cases; D.=Deaths; ..=Nil.; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th February, 1957— *contd.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Himachal Pradesh								Madras—contd							
TOTAL	North Arcot	3	1
Total for w/c 9-2-57	Salem	58	11
Total for w/c 2-2-57	Coimbatore	17	6
Kerala								Kanya Kumari	1
Trivandrum	6	11	TOTAL	271	63
Quilon	25	17	Total for w/c 9-2-57	3	2	178	47
Trichur	2	1	Total for w/c 2-2-57	134	39
Malabar	1	1	Manipur							
TOTAL	34	30	TOTAL
Total for w/c 9-2-57	68	12	Total for w/c 9-2-57
Total for w/c 2-2-57	54	26	Total for w/c 2-2-57
Madhya Pradesh								Mysore							
Surguja	3	Bangalore	3	1
Jabalpur	15	2	Chitaldrug	1
Nimar	2	2	Kolar	1	..	1	1
Mandla	1	Mandya	5	2
Durg	2	Shemoga	3
TOTAL	22	5	Raichur	6	3	24	6	..
Total for w/c 9-2-57	33	8	Bijapur	25	10
Total for w/c 2-2-57	3	1	20	1	TOTAL	6	3	62	19	1
Madras								Total for w/c 9-2-57	8	6	16	6
Madras City	7	Total for w/c 2-2-57	4	2	11	3	2	1	1
Chingleput	14	3	Orissa							
South Arcot	58	15	Cuttack	1	12
Tiruchirapalli	59	19	Balasore	7	4	17	1	..
Tanjore	24	2	Puri	5	2	15	2	..
Madurai	6	3	Monghyr	1
Ramanathapuram	18	3								
Tirunelveli	6								

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th February, 1957—*contd.*

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.
Orissa— contd.							Uttar Pradesh—contd.				
Dhenkanal	I	TOTAL	30	16
Kalahandi	I	Total for w/e 9-2-57	6	36	6	..
TOTAL	13	6	47	3	Total for w/e 2-2-57	29	8	51	24
Total for w/e 9-2-57	22	11	25	3	West Bengal				
Total for w/e 2-2-57	35	16	81	7	Burdwan	2	..
Pondicherry							Birbhum	I	..
TOTAL	18	14	Bankura	..	3	2	..
Total for w/e 9-2-57	"N.R."						Midnapur	..	67	38	16
Total for w/e 2-2-57	11	8	Hooghly	..	4	..	25
Punjab							Howrah	..	25	14	179
Rohtak	2	24-Parganas	..	51	29	84
TOTAL	2	Calcutta	..	15	8	130
Total for w/e 9-2-57	Nadia	..	4	4	3
Total for w/e 2-2-57	"N.R."						Murshidabad	30	9
Rajasthan							West Dinajpur	2	..
" N. R. "							Malda	4	3
Tripura							Purulia	..	6	4	7
TOTAL	23	14	TOTAL	175	97	486	265
Total for w/e 9-2-57	20	8	Total for w/e 9-2-57	264	145	283	183
Total for w/e 2-2-57	9	4	Total for w/e 2-2-57	376	184	281	188
Uttar Pradesh							Grand Total for India (Excluding Andhra Pradesh, Assam, Delhi, Rajasthan)				
Allgarh	4	4	240	130	1465	477	I
Allahabad	I	Corresponding Total for w/e 9-2-57	331	176	994	331
Ballia	3	I	Corresponding Total for w/e 2-2-57	507	230	965	376
Banda	I	ARREAR INFORMATION				
Ghazipur	5	6	Rajasthan w/e 26-1-57				
Jhansi	4	Jaipur	6	I
Kanpur	3	Sawal Madhopur	2	..
Kheri	5	7	4	..	Pali	19	1
Banaras	2	I	Jalore	5	3
							Banasware	4	..
							Churu	2	2
							Bikaner	12	I
							TOTAL	50	8

Explanation of symbols used : C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th February, 1957—*concl'd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Kerala								Mysore																							
w/e 9-2-57								w/e 9-2-57																							
Trivandrum	18	I	Chitaldrug	4	2															
Quilan	42	9	Kolar	3	2															
Trichur	2	I	Mysor	4	I															
Malabar	6	1	Gulbhag	.	.	8	6	5	I															
TOTAL	68	12	TOTAL								.	8	6	16	6			
Explanation of symbols used :-C.=Cases; D.=Deaths; ..=Nil.																															

Explanation of symbols used :—C.—Cases; D.—Deaths; ..—Nil.

NEW DELHI-2 (INDIA) ; }
The 11th March, 1957. }

K. MITRA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES

Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES

3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR NATIONAL PLAN CERTIFICATES

Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

- YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th February, 1957

Deaths from														
Town	Mid.-year Popn.-Est. (000)	L	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.	
Andhra Pradesh			"N.R."											
Assam			"N.R."											
Bihar														
Arrah	70	7	5.2	3	2	1	..	8	5.9	..	
Bihar	68	12	9.2	3	5	3.8	..	
Bettiah	38	5	6.8	2	2.7	..	
Bhagalpur	126	33	13.6	2	10	4.1	..	
Chapra	69	34	25.6	3	15	11.3	2	
Darbangha	93	12	6.7	4	2.2	..	
Dhanbad	41	13	16.5	3	3.8	..	
Dinapur	44	4	4.7	2	..	1	1	9	10.6	..	
Gaya	149	25	8.7	16	3	6	..	46	16.1	..	
Hazaribagh	39	8	10.7	1	1.3	..	
Jamalspur	47	3	3.3	
Jamshedpur	246	114	24.1	1	1	..	18	3.8	9	
Katihar	51	12	12.2	
Monghyr†	
Muzaffarpur	84	23	14.2	7	..	1	..	20	12.4	..	
Patna	330	139	21.9	5	2	1	..	41	6.5	..	
Ranchi	130	17	6.8	9	15	6.0	6	
TOTAL	1625	461	14.8	50	8	11	1	197	6.3	17	
Bombay														
Ahmedabad	889	588	34.4	..	17	..	34	11	84	..	393	23.0	133	
Ahmednagar	88	69	40.8	2	..	7	..	22	13.0	4	
Amalner	50	22	22.9	8	..	3	..	21	21.8	2	
Baroda	242	186	40.0	13	..	12	1	62	13.3	17	
Barshi	46	51	57.7	3	..	2	2	17	19.2	5	
Bhusawal	62	13	10.9	5	1	1	1	21	17.6	1	
Broach	67	56	43.5	5	..	7	..	22	17.1	1	
Cambay	41	38	48.2	2	..	15	19.0	5	
Chalisgaon	35	19	28.2	5	..	1	..	8	11.9	2	
Dhulia	89	41	24.0	3	1	5	1	17	9.9	2	
Godra	40	40	52.0	5	..	2	..	14	18.2	1	
Greater Bombay	3,449	1,207	18.2	..	14	..	1	36	152	2	780	11.8	198	
Jalgaon	79	18	11.8	3	..	2	..	11	7.2	3	
Kalyan	73	28	19.9	..	5	..	1	..	2	..	12	8.5	..	
Kolhapur	159	108	35.3	3	2	10	..	40	13.1	4	
Malegaon	63	31	25.6	11	1	4	..	21	17.3	8	
Miraj†	
Nadiad	71	48	35.2	12	1	23	16.8	8	
Kamptee	36	15	21.7	2	..	5	7.2	2	
Norajl	47	23	25.4	..	1	2	..	9	10.0	..	
Chanda	43	31	37.5	5	..	1	..	14	17.9	4	
Veraval	46	7	7.9	1	2	8	9.0	..	
Bhavnagar	157	60	19.9	6	1	17	..	39	12.9	6	
Rajkot	167	67	92.0	..	1	..	17	1	10	..	48	14.9	17	
Porbander	64	18	14.6	..	1	..	7	..	13	..	21	17.1	7	
Amravati	101	53	27.3	..	1	..	5	4	6	..	36	18.5	7	
Parbhani	40	7	9.1	..	1	..	3	..	1	..	5	6.5	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th February, 1957—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from:—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Nanded	80	17	11.1	3	..	2	..	10	6.5
Aurangabad	73	15	10.7	2	..	3	3	9	6.4
Morvi	43	13	15.7	1	..	1	..	4	4.8	1	..
Achalpur	38	22	30.1	4	..	1	..	8	10.9	1	..
Wardha	46	13	14.7	7	2	9	10.2	4	..
Nagpur	528	354	34.9	..	1	..	17	7	20	3	165	16.3	35	..
Jalna	69	4	3.0	1	..	1	..	3	2.3
Gondia	45	30	34.7	1	1	1	..	3	3.5
Surendranagar	42	14	17.3	1	..	1	..	2	2.5
Akola	104	132	66.0	13	4	5	..	43	21.5
Junagarh	65	32	25.6	12	..	4	..	18	14.4
Jamnagar	122	15	6.4	3	..	1	..	13	5.5
Gondal	41	19	24.1	1	1	2	..	10	12.7
Nandurbar	35	17	25.3	3	..	4	..	12	17.8	2	..
Nasik	119	63	27.5	2	6	2	19	8.3	1	..
Navasari	50	24	25.0	10	..	1	..	16	16.6	4	..
Pandharpur	44	25	29.5	2	5	9	..	24	28.4	5	..
Patan	47	28	31.0	2	2	4	..	21	23.2	3	..
Poona	607	345	29.6	6	6	24	1	136	11.7	33	..
Sangli	58	34	30.5	1	1	2	..	13	11.7	4	..
Satara	40	50	65.0	12	15.6	1	..
Sholapur	299	245	42.6	17	2	42	..	96	16.7	22	..
Surat	250	159	33.1	13	2	18	1	113	23.5	35	..
Thana	61	19	16.2	1	1	2	..	12	10.2	4	..
TOTAL	9,150	4,533	25.8	1	42	..	280	95	502	17	2,455	14.0	592	..

Delhi

"N. R."

Kerala

Trivandrum City	218	118	28.1	..	3	6	1.4
Quilon	75	58	40.2	..	1	1	..	7	4.9	1	..
Alleppey	148	25	8.8	1	..	2	0.7
Kottayam	50	54	56.2	1	1.0
Mattancherry	85	75	45.9	1	8	4.9	1	..
Ernakulam	70	52	38.6	1	2	2	..	19	14.1
Trichur	76	14	28.1	2	..	9	6.2	2	..
Kozhikode	176	103	30.4	3	1	9	..	47	13.9	12	..
Palghat	77	58	39.2	1	7	1	2	25	16.9	4	..
Cannanore	47	20	22.1	1	13	14.4	4	..
Tellicherry	42	25	31.0	1	2	15	18.6	1	..
Cochin	32	24	39.0	1	..	4	..	10	16.3	1	..
TOTAL	1096	653	31.0	..	4	..	9	12	20	2	162	7.7	26	..

Madhya Pradesh

"N.R."

Madras

Ambur†														
Aruppukottai	56	28	26.0	6	13	12.1	3	..
Bodinayakanpur†														
Chidambaram	39	29	38.7	1	..	1	11	14.7	2	..
Coimbatore	234	180	40.0	1	16	16	1	81	18.0	21	..
Cuddalore	74	58	40.8	3	7	1	28	19.7	8	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil; N. R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th February, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D	R.D.	M.D.				
Madras—contd.														
Dindigul . . .	90	27	15.6	..	1	..	1	1	2	1	20	11.6	..	
Erode . . .	67	36	27.9	..	4	..	2	2	4	1	35	27.2	4	
Gobichetty Palyan	38	10	13.7	2	1	9	12.3	1	
Guddiyattam . . .	53	32	31.4	1	2	..	1	14	13.7	3	
Kancheepuram . . .	90	46	26.6	2	9	10	..	35	20.2	6	
Karalkudi . . .	44	24	28.4	2	2	1	18	21.3	2	
Karur . . .	50	16	16.6	3	10	10.4	2	
Kumbakonam . . .	105	60	29.7	1	1	4	..	22	10.9	5	
Madras . . .	1,703	1,127	34.4	..	1	..	51	125	158	1	684	20.9	162	
Mathurai . . .	427	326	39.7	9	11	33	..	133	16.2	44	
Mayuram †														
Malapalyam . . .	41	15	19.1	..	2	..	1	2	6	7.6	3	
Nagapattinam . . .	60	55	47.7	2	1	3	1	17	14.7	..	
Ootacamund . . .	48	29	31.4	6	..	10	10.8	3	
Palni . . .	40	21	27.3	1	1	5	..	14	18.2	1	
Palayamkotrai . . .	45	36	41.6	1	3	3	..	10	11.6	..	
Periyakulam . . .	34	19	29.1	1	..	2	..	6	9.2	..	
Pollachi . . .	51	35	35.7	4	3	1	20	20.4	5	
Pudukottai†														
Rajapalayam . . .	69	25	18.8	..	2	..	3	3	7	1	27	20.3	7	
Salem . . .	241	160	34.5	..	7	..	8	4	12	..	67	14.5	6	
Srirangam †														
Srivilliputtur . . .	44	18	21.3	1	2	..	1	9	10.6	1	
Tanjore . . .	118	27	11.9	1	7	3.1	1	
Tiruvannamalai . . .	45	13	15.0	1	1	2	..	10	11.6	4	
Tirunelveli . . .	80	50	32.5	7	5	1	33	21.5	6	
Tiruppur . . .	63	54	44.6	2	1	..	15	12.4	5	
Tiruchirappalli . . .	251	105	21.8	..	8	..	3	9	13	2	107	22.2	19	
Nagercoil . . .	94	52	28.8	3	..	1	..	11	6.1	2	
Tuticorin . . .	111	62	29.0	11	10	2	46	21.5	11	
Vaniyambadi . . .	43	27	32.7	1	..	3	1	14	16.9	1	
Vellore . . .	124	101	42.4	1	11	13	..	57	23.9	19	
Villupuram . . .	39	34	45.3	1	3	3	1	17	22.7	6	
Virudunagar . . .	53	36	35.3	1	1	13	12.8	3	
TOTAL . . .	4,764	2,973	32.4	..	25	..	109	239	328	19	1,629	17.8	366	
Mysore														
Bangalore . . .	977	437	23.2	5	25	45	..	134	7.1	..	
Mysore . . .	294	169	29.9	16	1	3	..	40	7.1	..	
Bellary . . .	78	65	43.3	1	..	3	..	15	10.0	..	
Davangere . . .	69	40	30.1	4	1	17	12.8	..	
Hospet . . .	45	5	5.1	1	1	3	3.5	..	
Tumkur . . .	44	15	17.7	
Kolar . . .	32	1	1	1.6	..	
Chitaldrug . . .	31	2	3.3	..	
Hassan . . .	30	19	32.9	4	6.9	..	
Gulbarga . . .	90	1	0.6	1	1	2	3	..	12	6.9	..	
Belgaum . . .	110	49	23.2	2	14	6.6	..	
Mangalore . . .	136	113	43.2	2	..	1	..	23	8.8	..	
TOTAL . . .	1,970	913	24.5	1	33	29	55	1	265	7.1	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th February, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Orissa													
Berhampur	72	40	28.9	..	1	..	2	1	1	..	13	9.4	3
Cuttack	117	109	48.4	..	4	..	6	5	8	..	50	22.2	8
Puri	53	53	52.0	9	2	1	..	26	25.5	2
TOTAL	242	202	43.4	..	5	..	17	8	10	..	89	19.1	12
Pondicherry													
"N.R."													
Punjab													
Ambala	65	38	30.4	4	..	7	5.6	..
Amritsar	143	319	48.4	2	17	..	69	10.5	22
Batala	62	38	32.0	1	..	1	..	5	4.2	2
Bhatinda	39	20	26.7	3	..	1	..	4	5.3	1
Bhiwani	57	47	43.0	10	..	5	..	22	20.1	4
Ferozepore	45	20	23.1	1	..	2	..	4	4.6	1
Hissar	39	28	37.3	1	..	4	..	9	12.0	2
Hoshiarpur	51	20	20.4	1	..	7	7.1	..
Jullundur	200	91	23.7	3	2	12	..	20	5.2	2
Karnal	72	34	24.6	4	..	3	..	12	8.7	2
Ludhiana	176	101	29.8	6	..	3	..	27	8.0	5
Moga	41	27	34.2	1	..	2	..	5	6.3	2
Paanipat	64	41	33.3	2	..	3	2.4	..
Malerkotla	34	22	33.6	2	6	9.2	..
Pachankot	34	12	18.4	1	..	4	6.1	..
Rewari	36	13	18.8	1	2	2.9	..
Rohtak	105	42	20.8	3	..	3	..	10	5.0	3
Patiala	111	53	24.8	4	9	4.2	3
Simla	50	21	21.8	3	3.1	..
Sonapat	34	20	30.6	1	..	3	4.6	1
TOTAL	1,658	1,007	31.6	40	4	62	..	231	7.2	50
Rajasthan													
"N.R."													
Uttar Pradesh													
Agra	375	311	43.1	5	2	61	..	105	14.6	28
Allahabad	349	156	23.2	1	16	1	50	7.4	8
Amroha	61	45	38.4	3	..	9	..	17	14.5	4
Bulnaich	47	25	27.8	5	1	9	10.0	3
Barras	383	263	35.7	31	4	16	..	133	18.1	25
Balla†													
Banda	32	5	8.1	2	..	8	13.0	2
Bareilly	203	57	14.6	3	1	12	..	18	4.6	2
Budaun	54	30	29.0	1	1	2	..	8	7.7	1
Basti†													
Bulandshahr	42	11	13.6	3	4	5.0	1
Chandausi	41	17	21.6	2	9	11.4	..
Dohra Dun	146	55	19.6	4	..	7	..	29	10.3	7
Awah	64	33	26.8	6	1	4	..	15	12.2	4
Meerut-Ayodhya	88	34	20.1	1	1	..	1	6	3.5	1
Farrukhabad-Fatehgarh	82	32	20.3	4	2	3	..	11	7.0	..
Ferozabad	79	42	27.6	1	1	1	..	9	5.9	..
Goziabad	46	31	35.0	3	..	1	..	7	7.9	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rates ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th February, 1957—*contd.*

Deaths from :—														
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Uttar Pradesh—contd.														
Ghaziipur	36	14	20.2	6	..	1	..	12	17.3	1	
Gorakhpur	140	56	20.8	6	3	3	..	20	7.4	4	
Gonda	35	7	10.4	1	2	3.0	..	
Hapur	49	27	28.7	4	..	4	..	14	14.9	..	
Hardwar	64	21	17.1	5	..	4	..	13	10.6	1	
Hathras	62	38	32.0	12	..	8	..	23	19.3	4	
Jaunpur	56	21	19.5	3	..	1	1	7	6.5	1	
Jhansi	116	65	29.1	23	1	25	11.2	6	
Kanpur	734	338	24.0	131	25	45	6	346	24.5	89	
Kasganj	34	11	16.8	
Khurja	41	27	34.2	1	4	..	6	7.6	1	
Koili-Aligarh	150	97	33.6	4	1	3	..	15	5.2	1	
Lucknow	
Mathura	110	68	32.1	3	..	6	..	12	5.7	5	
Mau-Nith Bhanjan	38	31	42.4	8	5	17	23.3	4	
Meerut	195	96	27.0	3	..	7	..	16	4.5	2	
Mirzapur-Vindhyachal	97	29	15.5	7	..	2	..	13	7.0	..	
Moradabad	164	60	19.0	5	..	10	..	28	8.9	1	
Muzaffarnagar	74	51	35.8	2	..	4	..	10	7.0	1	
Pilibhit	45	17	19.6	2	2	1	..	5	5.8	1	
Rampur†	
Saharanpur	162	76	24.4	18	..	11	..	41	13.2	7	
Sambhal	65	58	46.4	3	..	10	..	26	20.8	7	
Shahjahanpur	99	73	38.3	13	1	1	..	21	11.0	4	
Sitapur	49	12	12.7	4	..	1	..	6	6.4	1	
TOTAL	4,697	2,440	27.0	335	55	260	9	1,116	12.4	232	
West Bengal														
"N.R."														
Andhra														
For w/e 9-2-57														
Adoni	63	45	37.1	1	2	3	..	14	11.5	1	
Anantpur	38	40	54.7	1	..	6	..	8	10.9	..	
Anakapalli†	
Bhimavaram	36	18	26.0	1	6	8.7	2	
Chirala†	
Chittoor†	
Cuddapah	42	28	34.7	1	1	10	12.4	2	
Eluru	99	36	18.9	1	4	1	2	..	33	17.3	5	
Gudivada	36	15	21.7	3	..	1	..	8	11.6	4	
Guntur	147	98	34.7	1	4	..	9	1	55	19.5	8	
Guntakal	37	23	32.3	3	..	1	..	8	11.2	..	
Kakinada	113	18	8.3	4	15	6.9	..	
Kurnool	68	56	42.8	2	1	..	5	1	32	24.5	5	
Masulipatnam	88	49	29.0	1	2	..	10	5.9	2	
Nandyal	37	16	22.5	2	3	13	18.3	2	
Nellore	95	72	39.4	33	2	5	2	..	77	42.1	4	
Proddatur	42	36	44.6	2	..	1	..	15	18.6	4	
Rajahmundry	122	37	15.8	1	9	3.8	5	
Tenali	67	38	29.5	17	13.2	5	
Vijayvada	201	86	22.2	5	2	4	..	33	8.5	9	
Visakhapatnam	128	70	28.4	12	2	14	..	49	19.9	11	
Vizianagram	75	30	20.8	4	2	27	18.7	4	
TOTAL	1,534	811	27.5	34	6	..	51	15	50	4	439	14.9	73	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B. R.=Birth Rate; C.=Cholera; S.=Small Pox; P=Plague; F.=Fever; D, D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rates; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information. "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th February, 1957—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	R.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh				Supplementary For w/e 12-1-57										
Adoni	63	43	53.8	2	1	5	..	13	10.7	1	
Anatpur	38	23	31.5	1	2	2.7	..	
Nandyal	37	10	14.1	1	..	2	..	11	15.5	..	
Proddatur	42	37	45.8	1	..	3	..	12	14.9	1	
Vijayawada	201	91	23.5	..	1	..	14	5	7	..	52	13.5	14	
Cuddapah	42	16	19.8	1	6	7.4	1	
				Supplementary For w/e 19-1-1957										
Vijayawada	201	101	26.1	..	1	..	6	..	7	..	31	8.0	10	
Nandyal	37	16	22.5	1	1	1	5	7.0	2	
Anantapur	38	38	52.0	1	..	2	..	6	8.2	1	
Cuddapah	42	46	57.0	1	3	..	8	9.9	3	
Adoni	63	50	41.3	2	1	..	10	8.3	3	
				Supplementary For w/e 26-1-57										
Nandyal	37	31	43.6	4	3	3	..	24	33.7	2	
Anantapur	38	18	24.6	1	1	3	4.1	..	
Cuddapah	42	23	28.5	2	..	11	13.6	3	
Adoni	63	49	40.4	3	5	..	13	10.7	4	

Bihar*For w/e 2-2-1957*

Arrah	70	11	8.2	1	..	1	..	6	4.5	..
Bihar	68	15	11.5	2	4	3.1	..
Bettiah													
Bhagalpur	126	44	18.2	1	12	5.0	..
Chapra	69	32	24.1	3	15	11.3	..
Darbangha	93	23	12.9	1	3	..	8	4.5	..
Dhanbad	41	10	12.7	8	10.1	..
Dinapur	44	5	5.9	2	6	7.1	..
Gaya	149	32	11.2	10	..	6	2	36	12.6	..
Hazaribagh	39	7	9.3	2	6	8.0	5
Jamalpur	47	7	7.4	1	1.1	..
Jamshedpur	246	136	28.7	1	..	1	..	17	3.6	3
Katihar	51
Monghyr †													
Muzaffarpur	84	32	19.8	6	1	1	..	16	9.9	..
Patna	330	125	19.7	10	..	1	..	23	3.6	..
Ranchi	130	14	5.6	9	13	5.2	2
TOTAL	1,587	493	16.2	15	2	13	4	171	5.6	10

Bihar*For w/e 9-2-57*

Arrah	70	13	9.7	2	..	2	1.5	..
Bihar	68	13	9.9	3	4	3.1	..
Bettiah†													
Bhagalpur	126	33	13.6	2	19	7.3	..
Chapra	69	36	27.1	10	..	—	..	20	15.1	..
Darbangha	93	23	12.9	6	..	1	..	13	7.3	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th February, 1957—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bihar—<i>contd.</i>													
<i>For w/e 9-2-57—contd.</i>													
Dhansad	41	8	10.1	4	5.1	..
Dirapur	44	2	2.4	3	4	4.7	..
Gaya	149	37	12.9	21	2	13	..	46	16.1	..
Hazaribagh	39	6	8.0	3	4.0	2
Jamalpur	47	4	4.4
Jamshedpur	246	116	24.5	1	3	..	20	4.2	7
Katihar	51
Monghy†
Muzaffarpur	84	17	10.5	3	..	2	..	16	9.9	..
Patna	330	101	15.9	5	1	2	..	51	8.0	..
Ranchi	130	18	7.2	8	13	5.2	3
TOTAL	1,587	427	14.0	58	4	23	3	215	7.0	12
West Bengal													
Asansol†	86
Baldyabati	33	10	15.8	1	3	4.7	1
Bally	66	6	4.7	..	1	1	2	..	6	4.7	..
Bankura	50	8	8.3	1	1	3	3.1	..
Bansberia†
Baranagar	90	46	26.6	1	..	4	..	11	6.4	6
Basirhat	39	6	8.0	1	1.3	..
Berhampur	64	40	32.5	2	1	4	..	20	16.3	3
Bhadreshwar	34	3	4.6	1	1	1.5	..
Bhatpara	143	20	7.3	13	1	3	..	29	10.5	..
Budge Budge	32	11	17.9	1	1	..	2	3.3	..
Burdwan	82	15	9.5	2	3	..	8	5.1	..
Calcutta	2,984	1,269	22.1	8	74	..	78	44	169	2	819	14.3	238
Champadani	41	14	17.8	2	2.5	..
Gooch Behar†
Darjeeling	38	18	24.6	2	13	17.8	..
English Bazar	36	18	26.0	1	1	1	3	4.3	..
Garden Reach	124	14	5.9	..	8	..	12	2	3	..	28	11.7	2
Halisahar	41	3	3.8	2	2.5	..
Hooghly-Chinsurah†
Howrah	477	155	16.9	4	54	..	9	12	42	1	183	19.9	50
Jalpaiguri	47	46	50.9	2	..	1	..	10	11.1	..
Kamarhati†
Kanchrapara	74	17	11.9
Krishnagar	56
Midnapore	45	30	34.7	1	1	1	..	16	18.5	..
Nabadwip	70	39	29.0	8	1	1	..	13	9.7	1
Nalhati	62	5	4.2	3	..	4	..	8	6.7	..
North Barrackpore	36	4	5.8	1	4	5.8	..
Panhati	65	1	0.8
Shantipur	49	11	11.7	1	..	3	3.2	..
Serampore	83	39	24.4	1	..	4	1	11	6.9	3
Siliguri	44	15	17.7
South Dum Dum†
South Suburban	124	39	16.2	..	3	1	4	..	19	8.0	7
Titagarh	78	23	15.3	..	1	..	22	..	6	..	30	20.0	6
TOTAL	5,207	1,925	19.2	14	141	..	155	72	253	4	1,248	12.5	318

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

REMARKS

The figures of births and deaths of India shown in this statement for week ending the 16th February, 1957 relate to 187 towns with an estimated population of 25,168 thousands. Information about Andhra Pradesh, Assam, Delhi, Madhya Pradesh, Pondicherry, Rajasthan and West Bengal could not be included. The total number of towns is 318 and their population is 41,584 thousands. Thus 59% of the total number

of towns representing 61% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 13,182 and 6,144 representing birth and death rates of 27.4 and 12.7 per thousand of population respectively.

No town recorded a high death rate of 50 or above per thousand of population. The following table gives the position by States:—

States	Current w/e 16-2-57		Corresponding week last year	
	B.R.	D.R.	B.R.	D.R.
Bihar . . .	14.8	6.3	16.5	5.2
Bombay . . .	25.8	14.0	27.6	12.4
Kerala . . .	31.0	7.7	42.4	9.4
Madras . . .	32.4	17.8	35.8	18.5
Mysore . . .	24.5	7.1	25.7	6.6
Orissa . . .	43.4	19.1	61.5	21.9
Punjab . . .	31.6	7.2	34.8	8.2
U.P.	27.0	12.4	31.7	13.0
India* . . .	27.2	12.7	30.7	12.8

*7 States and 1 Centrally administrated

NEW DELHI-2 (INDIA) ;
The 20th March, 1957. }

K. MITRA,
for Registrar General, India.